

# APPENDIX C

## MITIGATION MONITORING AND REPORTING PROGRAM

This Mitigation Monitoring and Reporting Program (MMRP) was formulated based on the findings of the Environmental Impact Report (EIR) prepared for the Truckee Railyard Draft Master Plan in the Town of Truckee. This MMRP is in compliance with Section 15097 of the CEQA Guidelines, which requires that the Lead Agency “adopt a program for monitoring or reporting on the revisions which it has required in the project and the measures it has imposed to mitigate or avoid significant environmental effects.” The MMRP lists mitigation measures recommended in the EIR and identifies mitigation monitoring requirements.

Table 1 presents the mitigation measures identified in the Truckee Railyard Draft Master Plan EIR necessary to mitigate potentially significant impacts. Each mitigation measure is numbered according to the topical section to which it pertains in the EIR. As an example, Mitigation Measure TRAF-1 is the first mitigation measure identified in the EIR for the Truckee Railyard Draft Master Plan.

The first column of Table 1 identifies the Mitigation Measure. The second column identifies the monitoring schedule or timing, while the third column names the party responsible for monitoring the required action. The fourth column, “Monitoring Procedure,” outlines the steps for monitoring the action identified in the mitigation measure. The fifth and sixth columns deal with reporting and provide spaces for comments and dates and initials. These last columns will be used by the Town to ensure that individual mitigation measures have been monitored.



Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
<b>A. LAND USE</b>					
<i>No significant land use impacts would occur.</i>					
<b>B. POPULATION, EMPLOYMENT AND HOUSING</b>					
<i>No significant population, employment and housing impacts would occur.</i>					
<b>C. TRANSPORTATION, CIRCULATION AND PARKING</b>					
<p>TRAF-1: At the West River Street/Mclver Crossing intersection, the existing westbound left-turn lane shall be restriped as a two-way left-turn lane in order to improve the level of service from LOS F to LOS D by allowing two-stage, left-turn movements from Mclver Crossing to West River Street eastbound. This strategy is appropriate given the low posted speed limit (25 mph) and the relatively low westbound left turn volume. The improvements required in this measure shall be completed prior to issuance of the first Certificate of Occupancy for the any project in the Master Plan Area.</p>	<p>Prior to issuance of first building permit;</p> <p>Prior to issuance of the first Certificate of Occupancy for any building in the Master Plan Area.</p>	<p>The Town of Truckee Engineering Division</p>	<ul style="list-style-type: none"> <li>• Verify that the Plans, Specifications, and Estimates (PS&amp;E) to restripe a left-turn lane as a two-way left-turn lane on eastbound West River Street at Mclver Crossing have been adequately prepared and submitted prior to issuance of first building permit;</li> <li>• Verify that restriping at the West River Street/Mclver Crossing intersection has been implemented prior to Certificate of Occupancy.</li> </ul>		
<p>TRAF-2: At the Donner Pass Road/Bridge Street intersection install a traffic signal to improve the level of service operation from LOS F to LOS D. Installation of a signal at this intersection is included in the Town's traffic impact fee program. The project proponent shall pay Town of Truckee impact fees contributing to this improvement. If the installation of the traffic signal is not completed by the Town prior to issuance of the first Certificate of Occupancy</p>	<p>Prior to issuance of the first Certificate of Occupancy for any building in the Master</p>	<p>The Town of Truckee Engineering Division</p>	<ul style="list-style-type: none"> <li>• Verify that the project proponent pays Town of Truckee impact fees contributing to this improvement.</li> <li>• Verify that a traffic signal at the Donner</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
for any project in the Master Plan Area, the project applicant shall construct said improvement using traffic impact fees collected by the traffic impact fee program through a reimbursement agreement with the Town.	Plan Area.		<p>Pass Road/Bridge Street intersection has been installed and implemented.</p> <ul style="list-style-type: none"> <li>If the traffic signal is not installed, verify that the project applicant constructs said improvement using traffic impact fees collected by the traffic impact fee program through a reimbursement agreement with the Town.</li> </ul>		
<u>TRAF-3</u> : At the Donner Pass Road/Church Street intersection, provide separate westbound and eastbound left turn and through/right lanes to improve the worst movement to LOS E. This intersection shall be controlled by stop signs on the eastbound and westbound approaches. The improvements required in this measure shall be completed prior to issuance of the first Certificate of Occupancy for any project in the Master Plan Area.	Prior to issuance of the first Certificate of Occupancy for any project in the Master Plan Area.	The Town of Truckee Engineering Division	<ul style="list-style-type: none"> <li>Verify that the Plans, Specifications, and Estimates (PS&amp;E) to restripe separate westbound and eastbound left turn and through/right lanes at the Donner Pass Road/Church Street intersection have been adequately prepared.</li> <li>Verify that a stop signs at Donner Pass Road/Church Street intersection have been installed and implemented.</li> </ul>		
<u>TRAF-4</u> : At the Bridge Street/West River Street/East River Street intersection install a traffic signal to provide adequate level of service (LOS E or better). Installation of a signal at this intersection is included in the Town's traffic impact fee	Prior to issuance of the first Certificate of	The Town of Truckee Engineering Division	<ul style="list-style-type: none"> <li>Verify that a traffic signal at the Bridge Street/West River Street/East River</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
<p>program. The project proponent shall pay Town of Truckee impact fees contributing to this improvement. If the installation of the traffic signal is not completed by the Town prior to issuance of the first Certificate of Occupancy for any project in the Master Plan Area, the project applicant shall construct said improvement using traffic impact fees collected by the traffic impact fee program through a reimbursement agreement with the Town.</p>	<p>Occupancy for any project in the Master Plan Area.</p>		<p>Street intersection has been installed and implemented.</p> <ul style="list-style-type: none"> <li>• Verify that the project proponent pays Town of Truckee impact fees contributing to this improvement.</li> <li>• If the traffic signal is not installed, verify that the project applicant constructs said improvement using traffic impact fees collected by the traffic impact fee program through a reimbursement agreement with the Town.</li> </ul>		
<p>TRAF-5: Intersection improvements are required in order to maintain the required Town of Truckee Level of Service standards at the SR 89 South/Donner Pass Road intersection under existing conditions. The Town General Plan identifies both short range and long range improvements for this intersection. Short range improvements are defined as a combination of roadway striping and signal phasing modifications that do not require roadway widening. The applicant shall perform a detailed intersection analysis, at the applicant's expense, to determine the combination of short range improvements which will maximize intersection capacity at this location. The traffic study for another project (Royal Ridge) included a preliminary review of short range improvements which demonstrates that there are feasible short range improvements that can be implemented which will improve this intersection to acceptable levels under existing plus project conditions. The detailed</p>	<p>Prior to issuance of temporary or final Certificate of Occupancy for any project in the Master Plan Area.</p>	<p>The Town of Truckee Engineering Division</p>	<ul style="list-style-type: none"> <li>• Verify that the detailed intersection analysis has been prepared and that it meets the standards listed in the mitigation measure.</li> <li>• Verify that the project applicant funds the cost of preparing the detailed intersection analysis.</li> <li>• Have the Town Engineer approve the improvement</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
<p>intersection analysis required by this condition may identify other combinations of re-striping and/or signal phasing improvements beyond those identified in the traffic study which will maximize the short range future capacity of this intersection within the existing roadway widths. The intersection improvements identified through the detailed intersection analysis will be determined during the review of the improvement plans, and approved by the Town Engineer, prior to building permit issuance. Prior to temporary or final Certificate of Occupancy of any buildings, the applicant shall implement the approved intersection improvements, at the applicant's expense.</p> <p>The applicant may request reimbursement of a fair-share portion of the short-range improvements from future discretionary Category 3 and 4 projects (as defined by General Plan Table CIR-6) that add traffic to the SR 89 South/Donner Pass Road intersection. It is the intent of the Town to include language requiring such projects to reimburse this project for their fair-share cost of the short-range as a part of the future land use conditions of approval; however, it will be the responsibility of this project to request that such a condition be placed on applicable projects prior to project approval.</p>			<p>plans.</p> <ul style="list-style-type: none"> <li>• Ensure intersection improvements are being implemented at the applicant's expense.</li> </ul>		
<p><b>TRAF-6:</b> At the intersection of West River Street/Mclver Crossing, provide a single-lane roundabout to improve the level of service from LOS F to LOS A. Installation of a single-lane roundabout at this intersection is included in the Town's traffic impact fee program. The project proponent shall pay Town of Truckee impact fees contributing to this improvement.</p>	<p>Prior to issuance of the first Certificate of Occupancy for any project in the Master Plan Area.</p>	<p>The Town of Truckee Engineering Division</p>	<ul style="list-style-type: none"> <li>• Verify that the project proponent pays Town of Truckee impact fees contributing to this improvement.</li> </ul>		
<p><b>TRAF-7:</b> In addition to implementation of Mitigation Measure TRAF-2 (install a traffic signal Donner Pass Road/Bridge Street intersection), provide a northbound left-turn lane and southbound left-turn lane to improve the level of service.</p>	<p>Prior to issuance of the first Certificate of Occupancy for any</p>	<p>The Town of Truckee Engineering Division</p>	<ul style="list-style-type: none"> <li>• Implement TRAF-2.</li> <li>• Verify that the Plans, Specifications, and Estimates (PS&amp;E) to provide a</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
Level of service at this intersection cannot be mitigated to acceptable levels within the parameters identified by the Town, even with provision of traffic signals and limited roadway widening. As the proposed Railyard Master Plan project would increase traffic through these intersections with future no-project deficiencies, the project would have a significant and unavoidable impact on level of service at this intersection.	project in the Master Plan Area.		northbound left-turn lane and southbound left-turn lane at the Donner Pass Road/Bridge Street intersection have been adequately prepared.  • Verify that a restriping at Donner Pass Road/Street Street intersection has been implemented.		
<u>TRAF-8</u> : At the Donner Pass Road/I-80 Eastern Interchange Eastbound Off Ramp intersection, signalize, or provide a single-lane roundabout to improve intersection level of service from LOS F to LOS C (with roundabout) and B (with signal). Installation of a single-lane roundabout at this intersection is included in the Town's traffic impact fee program. The project proponent shall pay Town of Truckee impact fees contributing to this improvement.	Prior to issuance of building permits.	The Town of Truckee Engineering Division	Verify that the project proponent pays Town of Truckee impact fees contributing to this improvement.		
<u>TRAF-9</u> : At the SR 89 North/SR 267/I-80 Eastbound Ramps intersection, provide a two-lane roundabout with northbound-to-eastbound slip lane to improve the level of service from LOS F to LOS B. Provision of a roundabout at this intersection is included in the Town's traffic impact fee program. The project proponent shall pay Town of Truckee impact fees contributing to this improvement.	Prior to issuance of building permits.	The Town of Truckee Engineering Division	Verify that the project proponent pays Town of Truckee impact fees contributing to this improvement.		
<u>TRAF-10</u> : At the SR 89 North/SR 267/I-80 Westbound Ramps intersection, provide a two-lane roundabout and northbound-to-westbound loop ramp to improve the intersection from LOS F to LOS A. (Note that the current interchange was designed to accommodate this loop ramp). Provision of a roundabout at this intersection is included in the Town's traffic impact fee program. The project proponent shall pay Town of Truckee impact fees	Prior to issuance of building permits.	The Town of Truckee Engineering Division	Verify that the project proponent pays Town of Truckee impact fees contributing to this improvement.		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
contributing to this improvement.					
<p><u>TRAF-11</u>: Implementation of Mitigation Measure TRAF -4 includes construction of a traffic signal at the Bridge Street/West River Street intersection. However, in the 2025 No Project and 2025 Plus Project scenarios, the level of service at this intersection cannot be mitigated to acceptable levels within the parameters identified by this analysis, even with provision of traffic signals and limited roadway widening. As the proposed Railyard Master Plan project would increase traffic through these intersections with future no-project deficiencies, the project would have a significant and unavoidable impact on level of service at this intersection.</p>	<p>Prior to issuance of the first Certificate of Occupancy for any project in the Master Plan Area.</p>	<p>The Town of Truckee Engineering Division</p>	<p>Implement TRAF-4</p>		
<p><u>TRAF-12</u>: At the SR 267/Brockway Road/Soaring Way intersection, either expand the existing signalized intersection (adding a second northbound left lane, second northbound through lane, separate northbound right lane, second southbound through lane, second eastbound left lane, separate eastbound through lane, and separate westbound through lane) <u>or</u> provide a multi-lane roundabout to improve the intersection operation from LOS F to LOS D. Provision of major improvements at this intersection is included in the Town's traffic impact fee program. The project proponent shall pay Town of Truckee impact fees contributing to this improvement.</p>	<p>Prior to issuance of building permits.</p>	<p>The Town of Truckee Engineering Division</p>	<p>Verify that the project proponent pays Town of Truckee impact fees contributing to this improvement.</p>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
<p><b>TRAF-13:</b> At the SR 267/Airport Road/Schaffer Mill Road intersection, install a second northbound through lane and second southbound through lane to improve the intersection operation from LOS F to LOS C. Per the Placer/Truckee Regional Traffic Impact Fee Agreement that went into effect October 1, 2007, payment of appropriate fees under the Truckee impact fee program is considered to mitigate impacts on roadway improvements included in the improvement list for Placer County's Tahoe Resorts Benefit District impact fee program. This improvement list includes "SR 267: County line to south of Northstar Drive - Widen to four lanes/Intersections improvements," which can be considered to address the SR 267/Airport Road/Schaeffer Mill Road improvements. The project proponent shall pay Town of Truckee impact fees contributing to this improvement.</p>	Prior to issuance of building permits.	The Town of Truckee Engineering Division	Verify that the project proponent pays Town of Truckee impact fees contributing to this improvement.		
<p><b>TRAF-14:</b> At the SR 89 South/Donner Pass Road/Frates Lane intersection, provide separate northbound left and northbound through/right lanes and eastbound right overlap phase <u>or</u> provide a two-lane roundabout to improve the intersection operation from LOS E to LOS D or LOS B, respectively. Provision of major improvements at this intersection is included in the Town's traffic impact fee program. The project proponent shall pay Town of Truckee impact fees contributing to this improvement.</p>	Prior to issuance of building permits.	The Town of Truckee Engineering Division	<ul style="list-style-type: none"> <li>Verify that the project proponent pays Town of Truckee impact fees contributing to this improvement.</li> </ul>		
<p><b>TRAF-15:</b> Providing adequate vehicle capacity over the Truckee River is of great concern to the Town and regional transportation agencies. Although there are currently no published plans or existing fee programs to increase capacity over the river, it is not the intent of this EIR to exempt the proposed project from payment of future impact fees related to increased capacity over the river.</p> <p>The Town will investigate the most appropriate means for increasing vehicle capacity over the Truckee River, including a fair share analysis of widening the Bypass to 4 lanes. The proposed project will contribute its fair share, not to exceed \$100,000, toward the preparation of said study to determine the means by which capacity over the river could</p>	Project applicant: Submit \$100,000 contribution prior to approval of major subdivision or building permit issuance.	The Town of Truckee Engineering Division	<ul style="list-style-type: none"> <li>Verify that the project proponent pays Town of Truckee 100,000 fee contribution to a study to determine the means by which traffic over the river could be increased.</li> <li>Town to work diligently to complete said study.</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
be increased. Said contribution shall be in place prior to approval of a major subdivision or building permit issuance for new buildings within the Master Plan Area. The Town shall complete said study prior to commencement of development of Phase 2 of the Master Plan. Upon determining the appropriate implementation measure, the Town shall revise its impact fee program. The proposed project will contribute to the cost of the improvement through payment of traffic impact fee program fees in effect at the time of development.	Town: complete study prior to commencement of development of Phase 2.		<ul style="list-style-type: none"> <li>Town to determine if impact fees will apply to increase capacity over the river.</li> <li>If new impact fees are adopted, verify project applicant has contributed fees.</li> </ul>		
<u>TRAF-16</u> : Widening of SR 267 to four travel lanes between Brockway Road/Soaring Way and the Town/County line is already included in the Town of Truckee traffic impact fee program, while widening to four travel lanes from the Town/County line to Airport Road/Schaffer Mill Road is included in the Placer County Tahoe Resorts Benefit District traffic impact fee program. Per the Placer/Truckee Regional Traffic Impact Fee Agreement that went into effect October 1, 2007, payment of appropriate fees under the Truckee impact fee program is considered to mitigate impacts on roadway improvements included in the improvement list for Placer County's Tahoe Resorts Benefit District impact fee program. The project proponent shall pay Town of Truckee impact fees contributing to this improvement.	Prior to issuance of building permits.	The Town of Truckee Engineering Division	<ul style="list-style-type: none"> <li>Verify that the project proponent pays Town of Truckee impact fees contributing to this improvement.</li> </ul>		
<u>TRAF-17</u> : Widening of SR 267 to four travel lanes between the Town/County line and Northstar Drive is included in the Placer County Tahoe Resorts Benefit District traffic impact fee program. Per the Placer/Truckee Regional Traffic Impact Fee Agreement that went into effect October 1, 2007, payment of appropriate fees under the Truckee impact fee program is considered to mitigate impacts on roadway improvements included in the improvement list for Placer County's Tahoe Resorts Benefit District impact fee program. The project proponent shall pay Town of Truckee impact fees contributing to this improvement.	Prior to issuance of building permits.	The Town of Truckee Engineering Division	<ul style="list-style-type: none"> <li>Verify that the project proponent pays Town of Truckee impact fees contributing to this improvement.</li> </ul>		
<b>D. AIR QUALITY</b>					
<u>AIR-1</u> : The project applicant shall submit a grading plan for	Prior to	Town of Truckee	<ul style="list-style-type: none"> <li>Verify that grading</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
<p>the project which includes the following conditions:</p> <p>a. Open burning is prohibited. Alternatives to open burning of vegetative material will be used. Among suitable alternatives are chipping, mulching or conversion to biomass fuel.</p> <p>b. The applicant shall be responsible for ensuring that adequate dust control measures are implemented in a timely manner during all phases of project development and construction.</p> <p>c. Temporary traffic control shall be provided during all phases of construction to improve traffic flow as deemed appropriate by local transportation agencies and/or Caltrans.</p> <p>d. Construction activities should be scheduled to direct traffic flow to off-peak hours as much as practicable.</p> <p>e. All material excavated, stockpiled, or graded shall be sufficiently watered, treated, or covered to prevent fugitive dust from leaving the property boundaries and causing a public nuisance or violation of ambient air standard during the dry season. Watering should occur at least twice daily, with complete site coverage during the dry season.</p> <p>f. All areas with vehicle traffic shall be watered or have dust palliative applied as necessary for regular stabilization of dust emissions.</p> <p>g. All on-site vehicle traffic shall be limited to a speed of 15 mph on unpaved roads.</p> <p>h. All land clearing, grading, earth moving, or excavation activities on a Plan Area shall be suspended as necessary to prevent excessive windblown dust when winds are expected to exceed 20 mph.</p> <p>i. All inactive portions of the development site shall be covered, seeded, or watered until a suitable cover is established. Alternatively, the applicant may apply County-approved non-toxic soil stabilizers (according to manufacturers specifications) to all inactive construction areas (previously graded areas which remain inactive for</p>	<p>issuance of grading permits; and throughout project construction.</p>	<p>Planning Division and Engineering Division</p>	<p>plans for the project, which include the items in the mitigation measure, have been submitted and implemented.</p>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
<p>96 hours) in accordance with the local grading ordinance.</p> <p>j. All material transported off-site shall be either sufficiently watered or securely covered to prevent public nuisance, and there must be a minimum of six (6) inches of freeboard in the bed of the transport vehicle.</p> <p>k. Paved streets adjacent to the project shall be swept or washed at the end of each day, or more frequently if necessary to remove excessive or visibly raised accumulations of silt and/or mud which may have resulted from activities at the Plan Area.</p> <p>l. Wheel washers shall be installed where project vehicles and/or equipment enter and/or exit onto paved streets from unpaved roads. Vehicles and/or equipment shall be washed prior to each trip if necessary.</p> <p>m. Prior to final occupancy, the applicant shall re-establish ground cover on the site through seeding and watering in accordance with the local grading ordinance.</p>					
<p><b>AIR-2:</b> The project applicant shall implement the following mitigation measures:</p> <p>a. Each residence shall be equipped with a non-wood burning source of heat. Prior to issuance of any temporary or final certificates of occupancy or prior to recordation of the final map, the applicant shall prohibit the use of woodstoves within the Plan Area by placing a deed restriction on the title of the property or shall pay an air quality mitigation fee to the Air Quality Mitigation fund to offset PM10 emissions from solid fuel burning appliances. All new solid fuel burning appliances shall be EPA Phase II Certified and limited to one wood-burning appliance per residence. The amount of the mitigation fee shall be \$300 for each solid fuel burning appliance that will or may be installed or the fee established by the Town Council resolution and in effect at the time of building permit issuance or final map recordation.</p> <p>b. The project shall provide for on-site bus turnouts, passenger benches, and shelters as demand and service routes warrant, subject to review and approval by the Town Engineer.</p>	<p>Throughout project construction; Prior to issuance of any temporary or final Certificates of Occupancy or prior to recordation of the final map.</p>	<p>Town of Truckee Planning Division; Town of Truckee Engineering Division</p>	<ul style="list-style-type: none"> <li>• Verify that each residence is equipped with a non-wood burning source of heat;</li> <li>• Or, if a solid fuel burning appliance is installed, ensure that the project applicant pays the established mitigation fee.</li> <li>• Verify that the project contributes a proportionate share to the development and/or continuation of a regional transit system, and that the Town Engineer has been consulted.</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
<p>c. The proposed project shall contribute a proportionate share to the development and/or continuation of a regional transit system. Contributions may consist of dedicated right-of-way, capital improvements, easements, etc. The Town Engineer shall be consulted for specific needs.</p> <p>d. All inactive portions of the development site (previously graded areas which remain inactive for 96 hours) shall be covered, seeded, or watered until a suitable cover is established. Alternatively, the applicant may apply Town-approved non-toxic soil stabilizers (according to manufacturers specifications) to all inactive construction areas in accordance with the local grading ordinance.</p> <p>e. The project shall provide for pedestrian access between bus service and major transportation points within the project where feasible.</p>			<ul style="list-style-type: none"> <li>Verify that all inactive portions of the development site are stabilized in accordance with the local grading ordinance.</li> </ul>		
<p>f. The project shall contribute a proportion share to traffic-flow improvements (i.e., right-of-way, capital improvements) that reduce emissions and are not considered as substantial growth-inducing. The local transportation agency shall be consulted for specific needs.</p> <p>g. A particulate matter emissions study meeting the requirements of the <i>Particulate Matter Air Quality Management Plan</i> shall be submitted in order to estimate the amount of emissions associated with full build-out of the project and generated from vehicle tail pipes and re-entrained road dust. The study shall be prepared by traffic and air quality consultants who have been approved by the Town Planner prior to preparation of the study. The study shall be consistent with the emissions calculation formulas utilized in the <i>Particulate Matter Air Quality Management Plan</i> and shall comply with all requirements of the Town Planner.</p> <p>Prior to issuance of any temporary or final certificates of occupancy for the permit, the applicant shall pay an air quality mitigation fee to the Air Quality Mitigation fund to</p>			<ul style="list-style-type: none"> <li>Verify that the project contributes a proportionate share to traffic improvements that reduce emissions, and that the local transportation agency was consulted.</li> <li>Verify that a particulate matter emissions study was submitted based on the specifications in the mitigation measure. Verify that that the project applicant pays an air quality mitigation fee to the Air Quality</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
offset PM10 emissions from vehicle tail pipes and re-entrained road dust. The amount of the mitigation fee shall be \$7,366 per ton of emissions generated by development authorized by the permit or allowed upon recordation of the final map or the fee established by Town Council resolution and in effect at the time of building permit issuance or final map recordation.			Mitigation fund (\$7,366 per ton of emissions or the fee established by the Town Council).		
<u>AIR-3</u> : The project applicant shall implement mitigation measures HAZ-1, HAZ-2a, and HAZ-2b.	See Monitoring Schedule for HAZ-1 & HAZ-2.	Town of Truckee Building and Safety Division	<ul style="list-style-type: none"> <li>Implement Haz-1, Haz-2a, and Haz-2b.</li> </ul>		
<b>E. NOISE AND VIBRATION</b>					
<p><u>NOI-1</u>: In accordance with Town standards, the following multi-part mitigation measure shall be implemented to reduce construction-related noise impacts to a less-than-significant level. The Town shall condition approval of new development within the Railyard Master Plan Area as follows:</p> <p><u>NOI-1a</u>: During all construction, the project sponsor shall comply with all of the standard construction noise control measures of the Town’s General Plan Policy P3.13, outlined as follows:</p> <ol style="list-style-type: none"> <li>Equip all internal combustion engine driven equipment with intake and exhaust mufflers that are in good condition and appropriate for the equipment;</li> <li>Locate stationary noise generating equipment as far as possible from sensitive receptors when sensitive receptors adjoin or are near a construction area;</li> <li>Utilize “quiet” air compressors and other stationary equipment where appropriate technology exists; and</li> <li>The project sponsor shall designate a “disturbance coordinator” who shall be responsible for responding to any local complaints about construction noise. The disturbance coordinator will determine the cause of the noise complaint (e.g., starting too early, bad muffler, etc.) and will require that reasonable</li> </ol>	Throughout construction.	Town of Truckee Building and Safety Division	<ul style="list-style-type: none"> <li>Verify that the project sponsor complies with all of the standard construction noise control measures of the Town’s General Plan Policy P3.13</li> <li>Make regular visits to the construction site to ensure that noise from construction activities is appropriately controlled.</li> <li>Make regular visits to the construction site to ensure that construction activities are restricted the hours designated in the mitigation measure.</li> <li>Verify the</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
<p>measures warranted to correct the problem be implemented. The project sponsor shall also post a telephone number for excessive noise complaints in conspicuous locations in the vicinity of the construction Plan Area. Additionally, the project sponsor shall send a notice to neighbors in the project vicinity with information of the construction schedule and the telephone number for noise complaints.</p> <p><u>NOI-1b</u>: The construction contractor shall ensure that all noise producing construction related activities are restricted to the hours of 7:00 a.m. to 6:00 p.m. on any day except Sunday, and from 9:00 a.m. to 6:00 p.m. on Sunday. Noise producing construction activities include any activity (using mechanical equipment or otherwise) that would produce noise levels in excess of the Exterior Noise Standards of Section 18.44.040 of the Town's Municipal Code. This measure will apply to all development associated with buildout of the Railyard Master Plan.</p>			implementation of the list of measures to respond to and track complaints pertaining to construction noise.		
<p><u>NOI-2</u>: To reduce railroad-related noise impacts on proposed noise sensitive developments within the Plan Area, the following measures shall be implemented:</p> <p>a. All residential outdoor <u>active</u> use areas shall comply with a minimum 200-foot setback from the centerline of the railroad main line; and any such uses that would be located within 355 feet of the railroad centerline of the railroad main line shall, to the extent feasible, be shielded from direct exposure to the railroad main line by strategically locating them so that the line of sight to the railroad line is blocked by intervening buildings to achieve an exterior noise level of 65dBA;</p> <p>b. Any portions of residential units that would be constructed within 200 feet of the railroad centerline shall incorporate upgraded window and wall assemblies with a minimum sound transmission class rating of STC-34. Quality control must be exercised in construction to ensure all air-gaps and penetrations of the building shell are controlled and sealed as required to meet an interior noise level of 45dBA;</p>	Prior to issuance of building permits.	Town of Truckee Building and Safety Division	<ul style="list-style-type: none"> <li>• Verify that noise sensitive developments within the Plan Area implement the mitigation measures.</li> <li>• Verify that documentation detailing the project's design features that reduce train-related noise impacts has been submitted to the Town's Planners.</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
<p>c. All residential units constructed within 200 and 355 feet of the railroad centerline or anywhere in the Plan Area having a direct line of sight to the railroad shall incorporate an alternative form of ventilation to ensure that windows can remain closed for a prolonged period of time;</p> <p>d. All residential façades constructed within 355 feet of the railroad centerline with a direct line of sight to the railroad shall incorporate upgraded window and wall assemblies with a minimum sound transmission class of STC-30; and</p> <p>e. All noise sensitive development projects within the Master Plan Area must submit documentation to the Town's Planners prior to issuance of building permits which details the design features that would be incorporated into the project to reduce train-related noise impacts.</p>					
<b>F. GEOLOGY, SOILS AND SEISMICITY</b>					
<p><b>GEO-1:</b> Prior to the issuance of any site-specific grading or building permits, a design-level geotechnical investigation shall be prepared by a licensed professional and submitted to the Town of Truckee Building and Safety Division for review and confirmation that the proposed development fully complies with the California Building Code of 2007 or latest version in effect. Compliance with the 2007 California Building Code (CBC) requires that (with very limited exceptions) structures for human occupancy be designed and constructed to resist the effects of earthquake motions. The Seismic Design Category for a structure is determined in accordance with either; CBC Section 1613 - Earthquake Loads or American Society of Civil Engineers (ASCE) Standard No. 7-05, Minimum Design Loads for Buildings and Other Structures. In brief, based on the engineering properties and soil-type of soils at a proposed site, the site is assigned a Site Class ranging from A to F. The Site Class is then combined with Spectral Response (ground acceleration induced by earthquake) information for the location to arrive at a Seismic Design Category ranging from A to D; D being the most severe conditions. The classification of the site and</p>	<p>Prior to issuance of any site-specific grading or building permits.</p>	<p>Town of Truckee Building and Safety Division</p>	<ul style="list-style-type: none"> <li>• Verify that a design-level geotechnical investigation has been submitted and confirm that the proposed development fully complies with the California Building Code of 2007 or latest version in effect.</li> </ul> <p>Ensure that all mitigation measures, design criteria, and specifications set forth in the geotechnical report and any required</p>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
<p>related calculations must be determined by a qualified person and are site-specific. The report shall describe the Plan Area's geotechnical conditions and address potential seismic hazards, such as seismically-induced shaking. The report shall identify building techniques appropriate to minimize seismic damage. In addition, the analysis presented in the geotechnical report shall conform to the California Division of Mines and Geology recommendations presented in the <i>Guidelines for Evaluating Seismic Hazards in California</i>.</p> <p>All mitigation measures, design criteria, and specifications set forth in the geotechnical and any required soils reports shall be followed. Compliance with the investigation, design and engineering requirements as set forth by the Town of Truckee and the latest version of the CBC will serve to minimize the hazards presented by seismic shaking at the Plan Area. Exposure to seismic hazards is a generally accepted part of living in California and therefore the mitigation measure described above reduces the potential hazards associated with seismic activity to a less-than-significant level.</p>			soils reports are followed.		
<p><u>GEO-2</u>: In locations underlain by non-engineered fill, the designers of building foundations and other improvements (including the sidewalks, roads, and underground utilities) shall consider these conditions. The design-level geotechnical investigation and soils investigation, to be prepared by licensed professionals and approved by the Town of Truckee Division of Building and Safety, shall include measures to ensure potential damages related to non-uniformly compacted fill are minimized. Mitigation options may range from removal of the problematic soils and replacement, as needed, with properly conditioned and compacted fill to design and construction of improvements to withstand the forces exerted during the expected winter weather cycles and settlements. Additionally, site conditions shall be evaluated for frost heave potential and site-specific recommendations formulated to minimize impacts due to freezing and thawing cycles.</p>	Prior to issuance of any site-specific grading or building permits.	Town of Truckee Building and Safety Division	<ul style="list-style-type: none"> <li>• Verify that the design-level geotechnical investigation and soils investigation includes measures to ensure potential damages related to non-uniformly compacted fill are minimized.</li> <li>• Ensure that sites are evaluated on a case-by-case basis to minimize impacts due to freezing and thawing cycles.</li> <li>• Ensure that all</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
All mitigation measures, design criteria, and specifications set forth in the geotechnical and soils report shall be followed to reduce impacts associated with settlement and differential settlement to a less-than-significant level.			mitigation measures, design criteria, and specifications set forth in the geotechnical report and any required soils reports are followed.		
<p><u>GEO-3</u>: Where slope cuts may be necessary to accommodate the realignment of local roads, the designers of road improvements shall consider slope stability conditions. The design-level geotechnical investigation and soils investigation, to be prepared by licensed professionals and approved by the Town of Truckee Division of Building and Safety and Town Engineer, shall include measures to ensure potential damages related to slope stability issues are minimized. Mitigation options may range from cutting back slopes sufficiently to achieve stable slope geometry to engineered improvements including retaining walls, hillside reinforcement with subsurface anchors, or raising the grade of the road bed to minimize the necessity for road cuts.</p> <p>All mitigation measures, design criteria, and specifications set forth in the geotechnical and soils report shall be followed to reduce impacts associated with slope stability issues to a less-than-significant level.</p>	Prior to issuance of any site-specific grading or building permits.	Town of Truckee Building and Safety Division	<ul style="list-style-type: none"> <li>• Verify that the design-level geotechnical investigation and soils investigation includes measures to ensure potential damages related to slope stability issues are minimized.</li> <li>• Ensure that all mitigation measures, design criteria, and specifications set forth in the geotechnical report and any required soils reports are followed.</li> </ul>		
<b>G. HYDROLOGY AND STORM DRAINAGE</b>					
<u>HYD-1</u> : The project proponent shall prepare a Storm Water Pollution Prevention Plan (SWPPP) designed to reduce potential impacts to surface water quality throughout the construction period of the project. The SWPPP must be maintained on-site and made available to Town inspectors and/or Water Board staff upon request. The SWPPP shall include specific and detailed Best Management Practices (BMPs) designed to mitigate construction-related pollutants. At minimum, BMPs shall include practices to minimize the	Submit SWPP to Town Engineering Division prior to applying for first building permit;	The Town of Truckee Engineering Division	<ul style="list-style-type: none"> <li>• Verify the preparation and approval of the SWPPP.</li> <li>• Verify that site supervisors conduct regular tailgate meetings as</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
<p>contact of construction materials, equipment, and maintenance supplies (e.g., fuels, lubricants, paints, solvents, adhesives) with stormwater. The SWPPP shall specify properly designed centralized storage areas that keep these materials out of the rain. In addition, if appropriate based on the anticipated seasons for development activities, the erosion control and drainage plans shall include detailed to snow handling procedures, snow storage sites and winter-time BMPs designed to minimize water quality impacts, and effectively manage spring runoff from snow storage to ensure that impacts Trout Creek and the Truckee River are minimized.</p> <p>An important component of the stormwater quality protection effort is the knowledge of the site supervisors and workers. To educate on-site personnel and maintain awareness of the importance of stormwater quality protection, site supervisors shall conduct regular tailgate meetings to discuss pollution prevention.</p> <p>BMPs designed to reduce erosion of exposed soil may include, but are not limited to: soil stabilization controls, watering for dust control, perimeter silt fences, placement of fiber rolls, and sediment basins. The potential for erosion is generally increased if grading is performed during the rainy season as disturbed soil can be exposed to rainfall and storm runoff. If grading must be conducted during the rainy season, the primary BMPs selected shall focus on erosion control; that is, keeping sediment on the site. End-of-pipe sediment control measures (e.g., basins and traps) shall be used only as secondary measures. If hydro-seeding is selected as the primary soil stabilization method, then these areas shall be seeded by September 1 and irrigated as necessary to ensure that adequate root development has occurred prior to October 1. Entry and egress from the construction site shall be carefully controlled to minimize off-site tracking of sediment. Vehicle and equipment wash-down facilities shall be designed to be accessible and functional during both dry and wet conditions.</p>	<p>Submit copy of approved SWPP prior to issuance of first building permit;</p> <p>Comply with measures in SWPP: ongoing throughout demolition, grading, and/or construction activities.</p>		<p>specified in the SWPPP to discuss pollution prevention.</p> <ul style="list-style-type: none"> <li>• Verify that a monitoring program including both dry and wet weather inspections is established and implemented.</li> <li>• Conduct regular site visits to ensure compliance with the SWPPP throughout the completion of the project.</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
The Town of Truckee Department of Engineering shall review and approve the plans prior to approval of the grading plan. Implementation of this mitigation would reduce the level of significance of this impact to a less-than-significant level.					
<p><u>HYD-2:</u> Project proponents shall prepare an erosion control and drainage report demonstrating consistency with the Town's adopted storm water management plan (SWMP), and related Town Engineering ordinances and standards. The erosion control plan and drainage report shall demonstrate, through detailed hydraulic analysis, that implementation of proposed drainage plans would result in treatment of the runoff from the site (in compliance with the Town NPDES permit). The qualified professionals preparing the design-level erosion control plan and drainage report shall consider additional measures designed to mitigate potential water quality degradation of runoff from all portions of the completed development. In general, passive, low-maintenance Best Management Practices (BMPs) (e.g., grassy swales, porous pavements) are preferred by the Water Board. The Town shall ensure that the project design includes features and operational BMPs to reduce potential impacts to surface water quality associated with operation of the project to the maximum extent practicable. These features shall be included in the final development drawings.</p> <p>In addition, a Water Monitoring Plan shall be established for the Master Plan area. The WMP shall be consistent with the Truckee River Water Quality Management Plan. The WMP shall ensure that long-term water quality monitoring. The WMP shall be subject to review and approval by the Town Engineering Department and Lahontan Regional Water Quality Control Board.</p> <p>The SWMP includes by reference Attachment 4 of WQO 2003-0005-DWQ (CAS000004), which provide specific design standards applicable to the project based on the size and nature of the proposed project. As specified by the MS4</p>	<p>Prior to issuance of the grading permit(s); and</p> <p>On-going.</p>	<p>The Town of Truckee Department of Engineering</p>	<ul style="list-style-type: none"> <li>• Verify that erosion control and drainage plans have been prepared.</li> <li>• Ensure that the Town Engineer has reviewed and approved the erosion control and drainage plans.</li> <li>• Ensure that the proposed project complies with the terms of the Town-wide SWMP and WQO Attachment 4.</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
General Permit, all new development projects, regardless of size, should incorporate appropriate source control and site design measures that minimize stormwater pollutant discharges to the maximum extent practicable. The proposed project would be required to comply with the terms of the SWMP and WQO Attachment 4, including (but not limited to):					
<ul style="list-style-type: none"> <li>▪ <b>Numeric Sizing Criteria for Pollutant Removal Treatment Systems.</b> The project must include source controls, design measures, and treatment controls to minimize stormwater pollutant discharges. Treatment controls must be sized to treat a specific amount – about 85 percent – of average annual runoff.</li> <li>▪ <b>Operation and Maintenance of Treatment Measures.</b> Treatment controls often do not work unless adequately maintained. The permit requires an operations and maintenance (O&amp;M) program, which includes: 1) identifying the properties with treatment controls; 2) developing agreements with private entities to maintain the controls, and 3) periodic inspection, maintenance (as needed), and reporting.</li> <li>▪ <b>Limitation on Increase of Peak Stormwater Runoff Discharge Rates.</b> Urbanization creates impervious surfaces that reduce the landscape’s natural ability to absorb water and release it slowly to creeks. These impervious surfaces increase peak flows in creeks and can cause erosion. Projects must evaluate the potential for this to occur and provide mitigation as necessary.</li> </ul> <p>As per Water Board Basin Plan implementation guidance regarding salt and traction sand use for road and walkway maintenance, salt or traction sand shall be applied in a careful, well-planned manner, by competent, trained crews. Should even the “proper” application of salt be shown to cause adverse water quality impacts, the Water Board would require that it no longer be used in environmentally sensitive areas. Should an alternate deicer be shown to be effective, environmentally safe, and economically feasible, its use shall be encouraged in lieu of salt. The design and</p>					

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
<p>implementation of BMPs for the project shall integrate, as feasible, features that will minimize the impact of deicing compounds and sedimentation impacts related to sanding or other ice control methods, including considering impacts related to accumulated pollutants in seasonal snow storage and the relatively sudden release of the accumulated materials during periods of thaw and rain. BMPs shall be sized appropriately and operations and maintenance schedules shall account for these seasonal differences.</p> <p>The design team for the development project shall review and incorporate as many concepts as practicable from <i>Start at the Source, Design Guidance Manual for Stormwater Quality Protection</i> and the California Stormwater Quality Association's <i>Stormwater Best Management Practice Handbook, New Development and Redevelopment</i>. Any enclosed parking areas shall not be drained to the stormwater conveyance system. The garages should be dry-swept or, if washdown water is used the effluent should be discharged to the sanitary sewer system under permit from the Town of Truckee.</p> <p>The Town of Truckee Department of Engineering shall review and approve the erosion control and drainage plans prior to approval of the grading plan.</p>					
<p>HYD-3: The SWPPP shall include provisions for the proper management of construction-period dewatering activities. At minimum, all dewatering shall be contained prior to discharge to allow the sediment to settle out, and filtered, if necessary to ensure that only sediment-free water is discharged to the storm or sanitary sewer system, as appropriate. In areas of suspected groundwater contamination (i.e., near sites where chemical releases are known or suspected to have occurred), the groundwater shall be analyzed by a State-certified laboratory for the suspected pollutants prior to discharge. Based on the results of the analytical testing, the project proponent shall acquire the appropriate permit(s) prior to discharge of the dewatering effluent. Discharge of the dewatering effluent</p>	<p>Prior to issuance of any site-specific grading or building permits; and</p> <p>On-going.</p>	<p>The Town of Truckee Department of Engineering</p>	<ul style="list-style-type: none"> <li>• Verify that the SWPP includes provisions for the proper management of construction-period dewatering activities.</li> <li>• Ensure dewatering is contained prior to discharge.</li> <li>• In areas of suspected groundwater</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
may require a permit from the Water Board (for discharge to the storm sewer system) and/or the Town of Truckee (for discharge to the sanitary sewer system).			contamination, verify that the groundwater is analyzed by a State-certified laboratory for the suspected pollutants prior to discharge.		
<p><b>HYD-4:</b> The project shall implement Low Impact Development (LID) design standards and participate in the Leadership in Energy Environmental Design Neighborhood Development (LEED-ND) Pilot Program, including advanced stormwater management techniques, as feasible. Should the LEED-ND Pilot Program not become a certified LEED program, the project shall still be required to incorporate relevant energy and environmental design measures from the LEED-ND Pilot Program into the development of the project.</p> <p>As a condition of approval of the final grading and drainage plans for the project, the project proponent shall demonstrate through the preparation of a detailed hydrologic analysis, to be prepared by a licensed professional, that implementation of the proposed drainage plans would not increase total off-site peak flow rates, or exceed the capacities of local system components or if redirected drainage would exceed the capacity of downstream components, that the project would construct improvements and/or increase the conveyance capacity of these undersized components. The analysis shall respect the determination and mapping of the 100-year floodplain completed as part of the Trout Creek Restoration project for the floodplain located within the Master Plan boundary. Development (e.g., new home construction) within 20 feet of the 100-year floodplain is prohibited. The project must use drainage components that are designed in compliance with Town of Truckee standards. The grading and drainage plans shall be reviewed for compliance with these requirements by the Town of Truckee Planning, Building, and Engineering Departments. Any improvements deemed necessary by the</p>	<p>Prior to approval of any grading plan; and</p> <p>On-going.</p>	<p>The Town of Truckee Department of Engineering.</p>	<ul style="list-style-type: none"> <li>• Verify that the project implements Low Impact Development (LID) design standards and participates in the Leadership in Energy Environmental Design Neighborhood Development (LEED-ND) Pilot Program, including advanced stormwater management techniques, as feasible.</li> <li>• Review hydrologic analysis to ensure off-site peak flow rates do not increase.</li> <li>• Monitor construction to ensure all recommendations of hydrologic analysis are implemented.</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
<p>Town will be part of the conditions of approval. Development associated with the Master Plan will also be subject to Lahontan Regional Water Quality Control Board discharge prohibitions. As noted in the Lahontan Basin Plan, the discharge or threatened discharge, attributable to human activities, of solid or liquid waste materials including soil, silt, clay, sand, and other organic and earthen materials to lands within the 100-year floodplain of the Truckee River or any tributary to the Truckee River is prohibited. (Exemptions to this prohibition may be granted by the Regional Board or its Executive Officer for certain projects subject to specific requirements for exemptions in the Basin Plan).The proponent will fully implement the recommendations of the hydrologic analysis consultant and the recommendations of the Town of Truckee in compliance with the conditions of approval.</p>					
<p><u>HYD-5</u>: During the Railyard Draft Master Plan development process, any existing water supply well within the proposed Plan Area shall either be:</p> <p><u>HYD-5a</u>: Inspected by a qualified professional to determine whether the well is properly sealed at the surface to prevent infiltration of water-borne pollutants into the well casing or surrounding gravel pack. The California Well Standards require an annular (ring-shaped) surface seal of at least 20 feet. If the wells are found not to comply with this requirement, the project sponsor shall retain a qualified well driller to install the required seal. Documentation of the inspections and seal installations, if any, shall be provided to the Town prior to final approval of any future grading plans; or</p> <p><u>HYD-5b</u>: Properly abandoned in compliance with the California Department of Water Resources, California Well Standards, and Nevada County Community Development Agency, Environmental Health Department prior to final approval of the grading plan.</p>	<p>Prior to final approval of any grading plans.</p>	<p>The Town of Truckee Department of Engineering.</p>	<ul style="list-style-type: none"> <li>• Verify that any existing water supply well is treated as described in the mitigation measure.</li> </ul>		
<b>H. BIOLOGICAL RESOURCES</b>					

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
<p><b>BIO-1:</b> The following measures shall be implemented to mitigate for potential impacts to nesting birds:</p> <p><b>BIO-1a:</b> If possible, all trees, brush and other potential nesting habitat that will be impacted by project construction shall be removed during the non-nesting season (September 1 through February 28).</p> <p><b>BIO-1b:</b> If suitable nesting habitat cannot be removed during the non-nesting season and project construction is to begin during the nesting season (March 1 through August 31), all suitable nesting habitat within the limits of work shall be surveyed by a qualified biologist prior to initiating construction-related activities. Surveys shall be conducted no more than 14 days prior to the start of work. If an active nest is discovered, a 100-foot buffer shall be established in the Master Plan Area around the nest and delineated using orange construction fence or equivalent. The buffer shall be maintained in place until the end of the nesting season or until the young have fledged, as determined by a qualified biologist.</p> <p>If no nesting is discovered, construction can begin as planned. Construction beginning during the non-nesting season and continuing into the nesting season shall not be subject to these measures.</p> <p><b>BIO-1c:</b> Alternatively, CDFG may be consulted to determine if it is appropriate to decrease the specified buffers with or without implementation of other avoidance and minimization measures (e.g., having a qualified biologist on-site during construction activities during the nesting season to monitor nesting activity).</p>	<p>Prior to initiating construction-related activities and no more than 14 days prior to the start of work; and</p> <p>On-going throughout construction.</p>	<p>The Town of Truckee Planning Division.</p>	<ul style="list-style-type: none"> <li>• Ensure that potential nesting habitat that will be impacted by project construction is removed during the non-nesting season; or</li> <li>• Verify that all suitable nesting habitat within the limits of work has been surveyed by a qualified biologist prior to initiating construction-related activities and ensure that necessary buffers are established.</li> </ul>		
<p><b>BIO-2:</b> The following measures shall be implemented to mitigate for potential impacts to willow flycatcher:</p> <p><b>BIO-2a:</b> All work that will encroach into Trout Creek or the associated riparian corridor shall be monitored by a</p>	<p>Throughout construction when work is encroaching into Trout</p>	<p>The Town of Truckee Planning Division.</p>	<ul style="list-style-type: none"> <li>• Verify that a qualified biologist is hired to monitor the presence of willow flycatcher and that</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
<p>qualified biologist to ensure willow flycatcher are not adversely affected by project construction.</p> <p><b>BIO-2b:</b> If a willow flycatcher is observed during the monitoring effort, all work in the immediate vicinity shall be halted until the bird has left the area.</p>	Creek or the associated riparian corridor.		the project is halted if a willow flycatcher is observed.		
<p><b>BIO-3:</b> The following measures shall be implemented to mitigate for potential impacts to Sierra Nevada mountain yellow-legged frog.</p> <p><b>BIO-3a:</b> A qualified biologist shall conduct a preconstruction survey for Sierra Nevada mountain yellow-legged frog no more than a week prior to the start of construction that will encroach into Trout Creek. The survey shall include the reach of Trout Creek in the Master Plan Area.</p> <p><b>BIO-3b:</b> If Sierra Nevada mountain yellow-legged frogs are identified in the Master Plan Area, they shall be relocated to a suitable location downstream of the work area.</p>	Prior to initiating construction and no more than a week prior to the start of construction.	The Town of Truckee Planning Division.	<ul style="list-style-type: none"> <li>Verify that a qualified biologist is hired to conduct a preconstruction survey for Sierra Nevada mountain yellow-legged frog and that any Sierra Nevada mountain yellow-legged frogs identified are relocated.</li> </ul>		
<p><b>BIO-4:</b> The following measures shall be implemented to mitigate for potential impacts to jurisdictional waters.</p> <p><b>BIO-4a:</b> The east end of the Master Plan Area that is not included in the current (verified) delineation shall be delineated and submitted to the Corps for verification.</p> <p><b>BIO-4b:</b> Waters of the U.S. or CDFG waters permanently impacted during construction shall be mitigated by one of the following methods, or by using a combination of the methods, contingent upon approval by the Corps, RWQCB, and/or CDFG:</p> <p>(a) Preservation, creation, and/or restoration of the impacted resources at a minimum ratio of 2:1.</p>	Prior to issuance of a grading permit or other authorization to proceed with project construction.	The Town of Truckee Planning Division.	<ul style="list-style-type: none"> <li>Verify that east end of the Master Plan Area is delineated and submitted to the Corps for verification.</li> <li>Ensure mitigation of Waters of the U.S. or CDFG waters permanently impacted during construction as described in the mitigation measure.</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
<p>(b) Purchase of credits at an approved mitigation bank at a minimum 1:1 mitigation ratio.</p> <p>(c) Payment of in-lieu fees per the current Corps, Sacramento District in-lieu fee schedule.</p> <p><u>BIO-4c</u>: All mitigation lands shall be protected in perpetuity through recordation of a conservation easement or equivalent method.</p> <p><u>BIO-4d</u>: Prior to issuance of a grading permit or other authorization to proceed with project construction, the project proponent shall obtain any regulatory permits that are required from the Corps, RWQCB, and /or CDFG.</p> <p>Mitigation shall be implemented within the Truckee River watershed.</p>			<ul style="list-style-type: none"> <li>Ensure that all mitigation lands are protected in perpetuity through recordation of a conservation easement or equivalent method.</li> <li>Ensure the necessary regulatory permits are obtained from the Corps, RWQCB, and /or CDFG.</li> </ul>		
<b>I. CULTURAL RESOURCES</b>					
<p><u>CULT-1</u>: Prior to project the issuance of any demolition permits for the affected properties, the applicant shall architecturally document the Union Pacific Railroad Warehouse, as well as the property at 10144 Church Street if it will be removed during the course of the project or at a later date for the construction of a traffic roundabout at the intersection of Church Street and Donner Pass Road. The documentation shall minimize the environmental impact of these buildings' loss, and shall be done to Historic American Buildings Survey (HABS) Level III or higher standards, according to the <i>Secretary of the Interior's Standards and Guidelines for Architectural and Engineering Documentation: HABS/HAER Standards</i>. The applicant shall also, during preliminary design phase, consider the re-use of historic fabric in project buildings (e.g., the lapped wood siding on the north and east elevations or the tongue-and-groove siding on the south and west elevations).</p>	<p>Prior to project the issuance of any demolition permits for the affected properties.</p>	<p>Town of Truckee Planning Division</p>	<ul style="list-style-type: none"> <li>Verify that the project applicant has architecturally documented the Union Pacific Railroad Warehouse, as well as the property at 10144 Church Street if it will be removed, to the standards established in the mitigation measure.</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
<p>The photo-documentation shall capture primary building elevations, character-defining architectural features, and the architectural context of each building. All photographs will be done to HABS-level quality (i.e., archival, high resolution prints anticipated to have a life span of 300-500 years). A historical summary shall be prepared to accompany the photo-documentation to describe the historical and architectural significance of the four properties, especially with respect to their contribution to the significance of the proposed Truckee Historic District. A copy of the report, with original photo negatives and prints, shall be submitted to the Town of Truckee Community Development Department, Truckee Library, the Truckee-Donner Historical Society, and the NCIC.</p>					
<p><b>CULT-2a:</b> Prior to commencement of groundbreaking activities in the Plan Area, A qualified archaeologist shall develop a monitoring plan in consultation with the Town. The purpose of the monitoring plan will be to ensure that significant archaeological deposits discovered during construction are identified, evaluated, and appropriately treated. A Native American cultural monitor shall be present if the monitoring plan indicates that Native American archaeological deposits may be discovered. The Town, in consultation with the project archaeologist, shall determine which project activities and/or which portions of the Plan Area will be archaeologically monitored. This information will be included in the monitoring plan. A qualified archaeologist<sup>1</sup> shall monitor the project activities and/or portions of the Plan Area identified in the monitoring plan. In most cases, all soil-disturbing activities in sensitive portions of the Plan Area —such as demolition, foundation removal, excavation, grading, utilities installation, and foundation work—will require archaeological monitoring. If it is necessary to suspend construction for more than one working day, the project archaeologist shall consult with the Town to assess the appropriate course of action.</p>	<p>Prior to commencement of groundbreaking activities in the Plan Area.</p>	<p>Town of Truckee Planning Division</p>	<ul style="list-style-type: none"> <li>• Verify that a qualified archeologist is hired to develop a monitoring plan to ensure that significant archaeological deposits discovered during construction are identified, evaluated, and appropriately treated.</li> <li>• Ensure that should an archaeological deposit be encountered by project activities, the monitor is empowered to halt construction in the vicinity of the find</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
<p>Should an archaeological deposit be encountered by project activities, the monitor shall be empowered to halt construction in the vicinity of the find. Construction activities shall be redirected and a qualified archaeologist shall implement relevant portions of the monitoring plan to:</p> <p>1) evaluate the archaeological deposit to determine if it meets the CEQA definition of a historical or unique archaeological resource; and 2) make recommendations about the treatment of the deposit, as warranted. If the deposit does not meet the CEQA definition of a historical or unique archaeological resource, then no further study or protection of the deposit is necessary. If the deposit does meet the CEQA definition of a historical or archaeological resource, then it shall be avoided by Project activities. If avoidance is not feasible, then effects to the deposit shall be mitigated through a data recovery strategy developed by the evaluating archaeologist. Mitigation of impacts to significant archaeological deposits through data recovery will recover scientifically-valuable information.</p> <p>This mitigation may include, but is not limited to, a thorough recording of the resource on DPR Form 523 records, or archaeological excavation. If archaeological excavation is the only feasible method of data recovery, then such excavation shall conform to the provisions of CEQA Guidelines §15126.4(b)(3)(C). Any archaeological investigation shall address the possibility of encountering Native American human remains. The investigation shall also address the disposition of prehistoric archaeological materials resulting from the investigations in consultation with a culturally affiliated Native American tribal organization. Additionally, if historical or unique archaeological resources associated with significant historical patterns or events in Truckee are identified, the City shall consult with representatives of the Truckee-Donner Historical Society and the Historic Preservation Advisory Committee regarding the potential use of the archaeological findings for interpretive purposes.</p> <p>Upon completion of such archaeological monitoring, evaluation, or data recovery mitigation, the archaeologist</p>			and to evaluated the find.		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
should prepare a report documenting the methods, results, and recommendations of the investigation, and submit this report to the NWIC.					
<u>CULT-2b</u> : If deposits of prehistoric and/or historical archaeological materials are discovered during project activities that are not monitored or not identified in the monitoring plan, all work within 25 feet of the discovery shall be redirected to protect the find. A professional archaeologist shall evaluate the significance of the find within two working days and make recommendations to the Town and applicant. Recommendations may include, but are not limited to, test excavations to determine the extent and significance of the find; additional documentation of the find; or data recovery excavation. If the find is not significant (i.e., if it is not eligible for the California Register), then work may proceed and no additional study or protection of the find is necessary. If the find is significant, the Town shall require the applicant to implement the recommendations of the evaluating archaeologist for the mitigation of impacts to the find. Upon completion of the evaluation and/or data recovery, the archaeologist shall prepare a report documenting methods, results, and interpretations. The report shall be submitted to the applicant, the Town, and the NCIC.			<ul style="list-style-type: none"> <li>Ensure that all work within 25 feet of the site where any prehistoric or historic subsurface cultural resources are discovered is redirected.</li> </ul>		
<u>CULT-3</u> : If paleontological resources are encountered during project subsurface construction, all work within 25 feet of the discovery shall be redirected and a qualified paleontologist shall evaluate the finds and make recommendations. If the exposed geological formation is found to contain significant paleontological resources, such resources shall be avoided by project activities if feasible. If project activities cannot avoid the paleontological resources, the resources shall be evaluated for their significance. If the resources are found to be significant, adverse effects shall be mitigated. Mitigation may include, but is not limited to, recording the locality, monitoring, data recovery and analysis, public outreach, and accessioning of all fossil material to a paleontological repository. A final report documenting the methods, findings, and recommendations	Throughout ground-disturbing activities in the Plan Area.	Town of Truckee Planning Division; Town of Truckee Building and Safety Division	<ul style="list-style-type: none"> <li>Ensure that all work within 25 feet of any paleontological resource discovery are redirected and that a qualified paleontologist is notified.</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
of the paleontologist shall be prepared and submitted to the paleontological repository.					
<p><u>CULT-4:</u> If human remains are discovered during ground-disturbing activities in the Plan Area, any such remains shall be treated in accordance with the requirements of CCR Title 14(3) §15064.5(e), which has particular procedures that apply to the discovery of remains of Native American origin. These procedures are provided below.</p> <p>(1) There shall be no further excavation or disturbance of the site or any nearby are reasonably suspected to overlie adjacent human remains until:</p> <p>(A) The coroner of the County must be contacted to determine that no investigation of the cause of death is required, and</p> <p>(B) If the coroner determines the remains to be Native American:</p> <ol style="list-style-type: none"> <li>1. The coroner shall contact the Native American Heritage Commission within 24 hours.</li> <li>2. The Native American Heritage Commission shall identify the person or persons it believes to be the most likely descended from the deceased Native American.</li> <li>3. The most likely descendent may make recommendations to the landowner or the person responsible for the excavation work, for means of treating or disposing of, with appropriate dignity, the human remains and any associated grave goods as provided in PRC §5097.98, or</li> </ol> <p>(2)Where the following conditions occur, the landowner or his authorized representative shall rebury the Native American human remains and associated grave goods with appropriate dignity on the property in a location not subject to further subsurface disturbance.</p> <p>(A) The Native American Heritage Commission is unable</p>	Throughout ground-disturbing activities in the Plan Area.	Town of Truckee Planning Division; Town of Truckee Building and Safety Division	Ensure that all work is halted if any human skeletal remains are uncovered at the project site and that the Nevada County Coroner is contacted.		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
<p>to identify a most likely descendent or the most likely descendent failed to make a recommendation within 24 hours after being notified by the commission;</p> <p>(B) The descendent identified fails to make a recommendation; or</p> <p>(C) The landowner or his authorized representative rejects the recommendation of the descendent, and the mediation by the Native American Heritage Commission fails to provide measures acceptable to the landowner.</p> <p>If, following the fulfillment of the notification requirements described above, human remains are discovered that are determined to <u>not</u> be of Native American origin, then the City shall consult with the appropriate descendent community regarding means for treating or disposing of the human remains, and any associated items, with appropriate dignity.</p> <p>Implementing Mitigation Measure CULT-4 would reduce potential impacts to human remains to a less-than-significant level. This reduction would be achieved by ensuring that any remains are treated appropriately according to State of California guidelines, as well as in a manner that takes into account the proper treatment of human remains in accordance with the wishes of the descendant community.</p>					
<b>J. HAZARDS AND PUBLIC SAFETY</b>					
<p><u>HAZ-1</u>: Existing contamination shall be remediated, or engineering controls (engineered caps, vapor barriers, or other appropriate technologies) and administrative controls (land use restrictions) shall be implemented, to ensure that potential future occupants of the Master Plan Area are not exposed to site-related contamination that exceeds acceptable health standards. The parties responsible for implementing site clean-up actions may include the</p>	<p>Prior to issuance of building permits for a site within the Master Plan Area and prior to</p>	<p>Town of Truckee Building and Safety Division; Town of Truckee Engineering Division</p>	<ul style="list-style-type: none"> <li>Before the Town issues building permits for a site within the Master Plan Area, it shall confirm that the overseeing regulatory agency</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
<p>historical owners/operators of properties within the Master Plan Area, current owners of properties within the Master Plan Area, future developers of the properties within the Master Plan Area, or the Town of Truckee.</p> <p>Acceptable health standards for the purpose of site clean-up shall mean an incremental lifetime cancer risk within the U.S. EPA's risk management range of one-in-a-million to one-in-ten-thousand (<math>10^{-6}</math> to <math>10^{-4}</math>) or less and a non-cancer health hazard index of less than one based on the results of site-specific multimedia human health risk assessment(s). Groundwater health standards shall meet Cal/EPA requirements for the designated beneficial use(s) of groundwater in the Master Plan Area. Lahontan RWQCB and the Town shall certify that these requirements have been met before the Town issues a Certificate of Occupancy for buildings constructed as part of redevelopment projects within the Master Plan Area.</p> <p>The nature and extent of contamination within some portions of the site is not fully characterized. In accordance with the requirements of the Lahontan RWQCB's Preliminary Endangerment Assessment process or other acceptable U.S. EPA or Cal/EPA regulatory guidance for site investigations, soil and groundwater samples shall be collected and analyzed in areas with inadequate historical information to determine whether chemicals in the soil and groundwater are present at concentrations that exceed acceptable health standards. To ensure that future site occupants are not exposed to site-related contamination that exceeds acceptable health standards, the following activities shall be conducted:</p>	<p>issuance of a certificate of occupancy (see monitoring procedure for specific breakdown).</p>		<p>has provided clearance for the site with regard to site contamination, or that a Remedial Action Plan or equivalent and a site health and safety plan are complete and incorporated as part of the redevelopment construction plans for the site.</p>		
<p><u>HAZ-2</u>: The following two-part mitigation measure shall be implemented:</p> <p><u>HAZ-2a</u>: If soil, groundwater or other environmental media</p>	<p>Prior to earthworking activities and prior to issuance of a</p>	<p>Town of Truckee Building and Safety Division; Town of Truckee Engineering</p>	<ul style="list-style-type: none"> <li>• Ensure that, in the event that contamination of soil, groundwater, or other</li> </ul>		

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
<p>with suspected contamination (e.g., identified by odor or visual staining) is encountered unexpectedly during construction activities for individual development projects or if any USTs, abandoned drums or other hazardous materials or wastes are encountered, the applicant shall cease work in the vicinity of the suspect material, the area shall be secured as necessary, and the applicant shall take all appropriate measures to protect human health and the environment. Appropriate measures shall include notifying the appropriate regulatory agency and implementing actions to determine the nature and extent of any observed contamination. An environmental professional shall oversee the subsequent assessment of the site (including the collection, analysis and interpretation of any samples of soil, groundwater or other environmental media) in accordance with local, State and federal hazardous materials and hazardous waste laws and regulations. The professional shall provide recommendations, as applicable, regarding soil/waste management, worker health and safety training, and regulatory agency notifications. General construction work shall not resume in the area(s) affected until the recommendations have been implemented under the oversight of the regulatory agency, as appropriate.</p>	grading or building permit (see monitoring procedure for specific breakdown).	Division	<p>environmental media is discovered, the applicant ceases work in the vicinity of the suspect material and notifies the appropriate regulatory agency.</p> <ul style="list-style-type: none"> <li>• Verify that the contractor identifies and clearly marks underground pipelines or other underground or aboveground utilities.</li> <li>• Review and approve emergency procedures in the event that utilities are ruptured.</li> </ul>		
<p><u>HAZ-2b</u>: The contractor involved in site grading and site development activities for an individual development project shall ensure that underground pipelines or other underground or aboveground utilities within the Plan Area are identified and clearly marked prior to earthworking activities to avoid unexpected contact with these utilities. Emergency procedures shall be developed by the contractor that can be implemented in the event utilities are ruptured; these procedures shall be reviewed and approved by the Town of Truckee, prior to the issuance of a grading or building permit. On-site workers shall be trained in how to implement these procedures.</p>					
<b>K. UTILITIES</b>					
<i>The project would not result in any significant impacts related to infrastructure and utilities.</i>					

Mitigation Measure	Mitigation Monitoring			Reporting	
	Monitoring Schedule	Monitoring Responsibility	Monitoring Procedure	Comments	Date/Initials
<b>L. PUBLIC SERVICES</b>					
<i>The project would not result in any significant impacts related to public services.</i>					
<b>M. VISUAL RESOURCES</b>					
VIS-1: Prior to adoption of the Draft Master Plan, the Town Development Code standards for exterior lighting (Section 18.30.060) shall be incorporated in the Draft Master Plan.	Prior to adoption of the Final Master Plan.	Town of Truckee Planning Division	Verify that the Town Development Code standards for exterior lighting (Section 18.30.060) are incorporated in the Final Master Plan.		